



## GR Supra GT4 EVO









# The greatest drive starts with the smallest details

#### DIMENSIONS

Built to measure-up to your dreams. Just 1250 mm high and weighing only 1350 kg.

### SAFETY

Even an exciting choice can be a safe one, with a high-strength roll cage and FIA-standard racing seat.



DUN PTE DIGUE

RAVENOL

(

Front six-piston and rear four-piston dedicated racing calipers by Brembo, for drivers dedicated to racing.

#### SUSPENSION

KW adjustable racing dampers keep you totally in touch with the track.













Chassis	
Length	4,460 mm
Width	1,855 mm
Height	1,250 mm
Weight	_1,350 kg*
Construction	Steel body with high-strength roll cage acc. to FIA regulations
Front splitter	Natural fibre composite
Rear wing	Natural fibre composite
Fuel tank	ATL FT3 safety fuel cell with fast refuelling system (1201)
Driver's seat	OMP racing seat with six-point safety harness (FIA 8862-2009)

Front suspension	MacPherson strut
Rear suspension	Multilink
Shock absorbers	KW adjustable racing dampers
Steering	Rack and pinion, electrical supported
Brakes (Front)	Brembo six-piston racing calipers, Steel 390mm brake discs
Brakes (Rear)	Brembo four-piston racing calipers, Steel 355 mm brake discs
「yres Front/Rear	Pirelli 305/660-18 Front/305/660-18 Rear
Wheels	OZ 11 x 18 in

Engine & Transmission		
Туре	In-line six-cylinder, single twin-scroll turbocharger	
Displacement	2,998 cm <sup>3</sup>	
Max. power	330 kW/450 ps* different power sticks available to comply with BOP	
Max. torque	Up to 660 Nm*	
Engine management	Marelli ECU	
Exhaust system	Akrapovic racing exhaust system with catalytic converter	
Lubricants	Ravenol	
Transmission	Modified ZF automatic with paddle shift, rear-wheel drive	
Differential	Drexler Motorsport-specification limited-slip differential	
Driveshafts	GKN Motorsport high torque spec	

Electronic Control System	
Traction control	Standard
ABS	Standard
Digital display unit	Standard
Data logger	Standard
Rear view camera	Option
Tyre pressure monitoring system	Option
Suspension travel sensors	Option

quipment	
re extinguishing system	Standard
ir jack system	Standard
rinking system	Option
omologated endurance package	Option



